



COMPANY PROFILE

Yongkang shuofan hardware tool factory is a professional manufacturer of Manual tile cutting machine, electric tile cutting machine, raise device, vacuum sucker, dust-free tile Chamfering machine, Manufacturer of lithium battery tiling machine and tile screw block. We always adhere to customer first and serve customers attentively, To impress customers with their own services, with 100% confidence and enthusiasm, join hands to create you and I share the highest quality brand.

Mod:F-T312



Size:800/1200/1600/1800mm
Cutting depth:6-20mm
Packing:163*24*26cm
Weight:20.8KGS

Mod:F-L313



Size:800/1200/1600/1800mm
Cutting depth:6-20mm
Packing:172*29*30cm
Weight:25.3KGS

Mod:F911



Size:800/1000/1200mm
Cutting depth:6-20mm
Packing:153.5*35.5*28(2sets)
Weight:24KGS

Mod:F921



Size:800/1000/1200mm
Cutting depth:6-20mm
Packing:153.5*35.5*28(2sets)
Weight:24KGS

Mod:F912



Size:800/1000/1200mm
Cutting depth:6-15mm
Packing:153.5*35.5*28(2sets)
Weight:22KGS

Mod:F913



Size:800/1000/1200mm
Cutting depth:6-15mm
Packing:153.5*35.5*28(2sets)
Weight:24KGS




Mod:F915



Size:800/1000/1200mm
Cutting depth:6-20mm
Packing:153.5*35.5*28cm
Weight:23.5KGS

Mod:F800



Size:800/1000/1200
1600/1800mm
Cutting depth:6-20mm
Packing:147*36.5*26.5cm
Weight:22KGS

Mod:F711



Size:600/800/1000/1200mm
Cutting depth:6-15mm
Packing:142*28*40cm
Weight:14.5KGS

Mod:F712



Size:800/1000/1200
1600/1800mm
Cutting depth:6-20mm
Packing:147*36.5*26.5cm
Weight:22KGS



Mod:A1008-1



Diameter: 20cm
Inches: 8 inches
Packing:52*24*55cm(10sets)
Weight:1.1KGS
Maximum Horizontal Capacity: 75kg
Maximum Vertical Capacity: 200kg
No watch and handle

Mod:A1008-2



Diameter: 20cm
Inches: 8 inches
Packing:52*24*55cm(10sets)
Weight:1.1KGS
Maximum Horizontal Capacity: 75kg
Maximum Vertical Capacity: 200kg
With watch and handle

Mod:FA1008



Diameter: 20cm
Inches: 8 inches
Packing:52*24*55cm(10sets)
Weight:1.1KGS
Maximum Horizontal Capacity: 75kg
Maximum Vertical Capacity: 200kg
Lithium battery with watch

Mod:FA2001



Precision high-power suction cups
Packing:67.5*38.5*53.5cm(10sets)
Weight:3KGS
Maximum Horizontal Capacity: 75kg
Maximum Vertical Capacity: 200kg



Mod:V7



Rated Voltage:DC12V
Speed:12000r/min
Sucker size:130MM
Maximum suction: 100kg
Suitable for 30-150 ceramic tiles
Weight:2.7KGS
Packing:76*40*39cm(10sets)

Mod:V10



Rated Voltage:DC21V
Speed:23000r/min
Sucker size:180MM
Maximum suction: 150kg
Suitable for 30-180 ceramic tiles
Weight:3.6KGS
Packing:58.5*35*54cm(6sets)

Mod:V12



Rated Voltage:DC16.8V
Speed:30000r/min
Sucker size:150MM
Maximum suction: 150kg
Suitable for 30-180 ceramic tiles
Weight:3.7KGS
Packing:66*38.5*54cm(8sets)

Mod:H16



Rated Voltage:DC12V
Speed:12000r/min
Sucker size:150MM
Maximum suction: 100kg
Suitable for 30-180 ceramic tiles
Weight:3.1KGS
Packing:51*38.5*54cm(8sets)



Mod:F-CYP1



Size:1200/1600/1800mm
Cutting depth:6-20mm
Packing:225*32*38cm
Weight:35.5KGS

Mod:F-CYP2



Size:800/1200/1600/1800mm
Cutting depth:6-20mm
Packing:219*24.5*31.3cm
Weight:30.5KGS

Mod:F-P3200S



Max suction:750KGS
Adsorption size:
1800mm/3200mm
Packing:171*41*20cm
Weight:31.9KGS
Optional: electric or manual

Mod:F-CYPDD



Size:1200/1600/1800mm
Cutting depth:6-30mm
Voltage:220V/50Hz
Degree:0-45°
Wattage: 3000W
Speed:11000r/min
Packing:230*53*71cm
Weight:78KGS



Mod:F-215



Size:1800/2000/2800
3000/3800mm
Cutting depth:6-20mm
Packing:158*23*26cm
Weight:11.5KGS

Mod:F-215-1



Size:1800/2000/2800
3000/3800mm
Cutting depth:6-20mm
Packing:158*23*26cm
Weight:11.5KGS

Mod:F-215-2



Size:1800/2000/2800
3000/3800mm
Cutting depth:6-20mm
Packing:158*22*26cm
Weight:12.65KGS

Mod:F-215-3



Size:1800/2000/2800
3000/3800mm
Cutting depth:6-20mm
Packing:158*22*26cm
Weight:12.65KGS